



Lake Forest Park Greenhouse Gas Inventory Report

INVENTORY YEARS 2019, 2022, 2023

PUBLISHED 2025



The City of Lake Forest Park Climate Element is supported with funding from Washington's Climate Commitment Act. The CCA supports Washington's climate action efforts by putting cap-and-invest dollars to work reducing climate pollution, creating jobs, and improving public health. Information about the CCA is available at www.climate.wa.gov.

Contents

Executive Summary	1
Introduction	3
Methodology	3
Emissions Sources	3
Communitywide GHG Emissions Results	5
Buildings	5
Transportation	9
Solid Waste	12
Refrigerants	12
Land Use	13
Municipal Operations GHG Emissions Results	14
Buildings	14
Transportation	14
Solid Waste	15
Refrigerants	15
Policy Recommendations	16
Appendix A: Methodology	17

Executive Summary

The City of Lake Forest Park Greenhouse Gas (GHG) Inventory Report summarizes the findings from two inventories: 1) the 2019, 2022, and 2023 communitywide GHG inventories and 2) the 2023 municipal operations GHG inventory. These inventories were completed by leveraging existing GHG analysis work performed by King County and funding from Washington State Department of Commerce (Commerce). The results from this inventory report will support the development of the Lake Forest Park Climate Element, specifically the GHG Reduction Sub-Element.

In 2023, the Lake Forest Park community emitted about 95,897 metric tons of carbon dioxide equivalent (MTCO₂e), a measure of climate pollution. This is equivalent to 22,368 gasoline-powered passenger vehicles driven for one year.¹ Table 1 below shows the estimated communitywide MTCO₂e and the average per-capita (per person) emissions for each year included in the communitywide GHG inventories.


Table 1. Communitywide and per-capita emissions, by inventory year (MTCO₂e).

	2019	2022	2023
Communitywide emissions	95,745	91,491	95,897
Per-capita emissions	7.2	6.7	7.0


Transportation and **buildings** have consistently been the highest contributors to **communitywide** GHG emissions across inventory years. Total emissions have **stayed relatively constant between 2019 and 2023**, with a 4% reduction between 2019 and 2022. Emission sources that saw an increase in emissions between 2019 and 2023 included electricity, natural gas, fuel oil and propane, off-road equipment, solid waste, and refrigerants. Emissions from on-road vehicles, aviation, and land use decreased.

Figure 1 below shows communitywide emissions, by emissions source and inventory year.

¹ [Greenhouse Gas Equivalencies Calculator | U.S. EPA](#)

Figure 1. 2019, 2022, and 2023 communitywide GHG emissions, by source (MTCO₂e).

The City of Lake Forest Park also completed a **municipal operations** GHG inventory for 2023, supported by Commerce through the Climate Commitment Act. Of the emission sources included in the inventory, the municipal **vehicle fleet** was the greatest contributor to GHG emissions from municipal operations. Municipal operations are included in the communitywide emissions estimates above and make up less than 1% of total community emissions. Figure 2 below shows proportions of emissions by source.

Figure 2. 2023 municipal operations GHG emissions, by source (percentage of total municipal operations emissions).

Introduction

Methodology

Lake Forest Park's 2019, 2022, and 2023 communitywide inventories were performed in alignment with both **ICLEI's U.S. Community Protocol for Accounting and Reporting of GHG Emissions (USCP)** and **The Greenhouse Gas Protocol's Global Protocol for Community-Scale Greenhouse Gas Inventories (GPC)**.^{2,3} Lake Forest Park's 2023 municipal operations inventory was performed in alignment with the **Local Government Operations Protocol (LGOP)**.⁴ These protocols are the industry standard for quantifying emissions from communities and local governments. Following these protocols helps to ensure the inventories are replicable, consistent, and accurate.

The GHG inventories used locally specific data as much as possible, based on data availability. Detailed documentation on the data sources and methodologies for both inventories is provided in *Appendix A: Methodology*.

Emissions Sources

The GHG emissions sources analyzed in the GHG inventories are detailed below in Table 2.

Table 2. Emissions sources analyzed in Lake Forest Park's 2019, 2022, and 2023 GHG inventories.

Sector	Emissions Source
Communitywide GHG Inventories (2019, 2022, and 2023)	
Buildings	Electricity Natural gas Propane Fuel oil
Transportation	On-road vehicles Off-road vehicles and equipment Air travel
Solid Waste	Landfilled waste generation and disposal Compost generation and disposal
Refrigerants	Refrigerants
Land Use	Tree loss
Municipal Operations GHG Inventory (2023)	
Buildings	Electricity
Transportation	Vehicle fleet

² [US Community Protocol | ICLEI USA](#)

³ [Global Protocol for Community-Scale GHG Inventories \(GPC\) | GHG Protocol](#)

⁴ [Local Government Operations \(LGO\) Protocol | ICLEI USA](#)

Sector	Emissions Source
Solid Waste	Landfilled waste generation and disposal Compost generation and disposal
Refrigerants	Stationary and mobile refrigerants

Communitywide GHG Emissions Results

Lake Forest Park's community emitted an estimated 95,745, 91,491, and 95,897 MTCO₂e in 2019, 2022, and 2023, respectively. The 2023 emissions are equivalent to 22,368 gasoline-powered passenger vehicles driven for one year.⁵

Transportation was the highest emitter across all three inventory years, with emissions from **buildings** being the second largest emitter across all three years. Total emissions have **stayed relatively constant between 2019 and 2023**, with a 4% reduction between 2019 and 2022. Emission sources that saw an increase in emissions between 2019 and 2023 included electricity, natural gas, fuel oil and propane, off-road equipment, solid waste, and refrigerants, while emissions from on-road vehicles, aviation, and land use decreased.

Lake Forest Park's communitywide GHG emissions for 2019, 2022, and 2023 are detailed below in Table 3, by emissions source.

Table 3. 2019, 2022, and 2023 communitywide GHG emissions and percent change, by emissions source.

Emissions Source	2019	2022	2023	% Change (2019-2023)
Buildings	22,887	26,362	27,656	21%
Electricity	1,049	950	2,909	177%
Natural Gas	19,007	21,352	21,021	11%
Other Fuels	2,831	4,060	3,726	32%
Transportation	63,327	55,119	58,279	-8%
On-road	25,364	23,322	23,450	-8%
Air travel	31,916	25,484	28,452	-11%
Off-road	6,047	6,313	6,377	5%
Solid Waste	1,755	2,030	1,960	12%
Landfill	1,318	1,568	1,512	15%
Compost	437	462	448	2%
Refrigerants	7,048	7,471	7,493	6%
Land Use (Tree Loss)	727	510	510	-30%
Total Emissions	95,745	91,491	95,897	0.2%

Buildings


The **buildings** sector emitted an estimated 22,887, 26,362, and 27,656 MTCO₂e in 2019, 2022, and 2023, respectively, representing **29%** of total 2023 emissions. Emissions from buildings stem from electricity, natural gas, and other fuels (propane and fuel oil) used to heat, cool, and power homes and buildings in the community.

⁵ [Greenhouse Gas Equivalencies Calculator | U.S. EPA](#)

- **Electricity** contributed 1,049, 950, and 2,909 MTCO₂e to building emissions in 2019, 2022, and 2023, respectively. Electricity accounted for **3%** of total 2023 emissions.
- **Natural gas** contributed the most to 2019, 2022, and 2023 building emissions, emitting 19,007, 21,352, and 21,021 MTCO₂e, respectively. Natural gas accounted for **22%** of total 2023 emissions.
- **Other fuels**, including propane and fuel oil, contributed 2,831, 4,060, and 3,726 MTCO₂e to building emissions in 2019, 2022, and 2023, respectively. Other fuels accounted for **4%** of total 2023 emissions.

Emissions from buildings have seen an upward trend since 2019, mostly driven by increases in natural gas consumption. Figure 3 below shows the breakdown of building emissions, by energy source, in each inventory year.

Figure 3. Building emissions, by source, in 2019, 2022, and 2023 (MTCO₂e).




ELECTRICITY

Electricity contributed 3% to communitywide emissions in 2023, compared to its 1% contributions in 2019 and 2022. Electricity data was provided by Puget Sound Energy and Seattle City Light for these studies. Since 2019, emissions from electricity have increased, as shown in Figure 4. In 2023, Puget Sound Energy and Seattle City Light powered the grid with about 50% and 95% renewables, respectively; both are committed to 100% clean electricity by 2030.

- The residential sector is the largest contributor to electricity emissions, as shown in Figure 4.
- Consumption of electricity has seen about a 3% increase since 2019, as shown in Figure 4, likely due to an increase in population. Although consumption stayed relatively constant across inventory years, emissions increased, as explained in the text box below.

Figure 4. Communitywide electricity emissions, by sector, along with trends in consumption in 2019, 2022, and 2023 (MTCO₂e and kWh).



Why did electricity emissions increase so much from 2022 to 2023?

Multiple factors contribute to emissions from electricity, including the *amount of electricity consumed* by Lake Forest Park's residents, businesses, and visitors and the *carbon intensity* of the electricity consumed.

Consumption

From 2022 to 2023, Lake Forest Park's electricity consumption increased by **<1%**.

From 2019 to 2023, 98-99% of electricity consumed in Lake Forest Park was provided by Seattle City Light (SCL).

Carbon Intensity

From 2022 to 2023, the carbon intensity of SCL's electricity increased by 352%, due to the reported makeup of its power supply reported to the Department of Commerce.

Emissions

Largely due to the increase in carbon intensity of SCL's electricity, from 2022 to 2023, electricity emissions in Lake Forest Park increased by 206%.

While this increase is significant, emissions from electricity only represented **3%** of total communitywide emissions in 2023.


NATURAL GAS

Natural gas accounted for 20%, 23%, and 22% of Lake Forest Park's communitywide emissions in 2019, 2022, and 2023, respectively. Natural gas data was provided by Puget Sound Energy for these studies.

Consumption of natural gas has decreased by about 2% despite an increase in emissions, as shown in Figure 5. The increase in emissions was primarily driven by increased fugitive emissions occurring as natural gas is transported through the pipeline to consumers, and a higher carbon intensity of the natural gas provided by Puget Sound Energy. The carbon intensity (also called emission factor) can change year to year, which affects the overall emissions produced. Typically, changes in the carbon intensity of natural gas are due to the changing makeup or composition of the gas.

The residential sector has contributed the most to 2019, 2022, and 2023 natural gas emissions, contributing 17,029, 19,068, and 18,692 MTCO₂e, respectively, as shown in Figure 5.


Figure 5. Communitywide natural gas emissions, by sector, in 2019, 2022, and 2023 (MTCO₂e).



OTHER FUELS

Other fuels, including **propane** and **fuel oil**, accounted for 3%, 4%, and 4% of communitywide emissions in 2019, 2022, and 2023, respectively. The residential sector was the largest contributor to emissions from propane and fuel oil. Since 2019, emissions from propane and fuel oil have seen an upward trend, as shown in Figure 6, primarily driven by an increase in consumption. Propane and fuel oil data was estimated from annual U.S. Energy Information Administration (EIA) reports for these studies.

Figure 6. Communitywide other fuels emissions, by fuel type, in 2019, 2022, and 2023 (MTCO₂e).




Transportation

The **transportation** sector emitted an estimated 63,327, 55,119, and 58,279 MTCO₂e in 2019, 2022, and 2023, respectively, representing **61%** of total 2023 emissions. Emissions from transportation stem from on-road and off-road vehicles and equipment use within the community and air travel attributed to Lake Forest Park's residents.

- **On-road vehicles** contributed 25,364, 23,322, and 23,450 MTCO₂e to transportation emissions in 2019, 2022, and 2023, respectively, and accounted for **24%** of total 2023 emissions.
- **Air travel** contributed 31,916, 25,484, and 28,452 MTCO₂e to transportation emissions in 2019, 2022, and 2023, respectively, and accounted for **30%** of total 2023 emissions.
- **Off-road equipment**—such as recreational and construction vehicles and equipment—contributed 6,047, 6,313, and 6,377 MTCO₂e to transportation emissions in 2019, 2022, and 2023, respectively, and accounted for **7%** of total 2023 emissions.

Emissions from transportation have seen a downward trend since 2019, mostly driven by a reduction in air travel and on-road vehicle activity. Figure 7 below shows the breakdown of transportation emissions, by source, in each inventory year.


Figure 7. Transportation emissions, by source, in 2019, 2022, and 2023 (MTCO₂e).



ON-ROAD VEHICLES

On-road vehicle miles traveled (VMT) accounted for 26%, 25%, and 24% of Lake Forest Park's communitywide emissions in 2019, 2022, and 2023, respectively. On-road VMT activity data was estimated from the Puget Sound Regional Council (PSRC) travel demand model for all three years, and a post-pandemic adjustment factor was applied to the 2022 and 2023 VMT activity data based on StreetLight Big Data estimates for Lake Forest Park. Since 2019, emissions from on-road vehicles have seen a downward trend, as shown in Figure 8, primarily driven by a 4% decrease in VMT from 2019 to 2023 and an increased uptake of electric vehicles. While VMT has decreased since 2019, StreetLight Data indicates that this reduction is largely due to shorter vehicle trip lengths, not a reduction in vehicle trips.

Figure 8. Communitywide on-road vehicle emissions, by fuel type, in 2019, 2022, and 2023 (MTCO₂e).



AIR TRAVEL

Air travel accounted for 33%, 28%, and 30% of Lake Forest Park's communitywide emissions in 2019, 2022, and 2023, respectively. Air travel emissions were estimated using a combination of SeaTac fuel consumption data, passenger survey data, and U.S. Census median household income data. Emissions from SeaTac's origin passengers who report living in King County are allocated to cities based on median household income from the U.S. Census under the assumption that communities with a higher median household income are more likely to travel by plane.

The 11% decrease in emissions from air travel can be attributed to a slight reduction in SeaTac fuel use from 2019 to 2023 along with changes to household counts and median incomes by city, throughout the region.

OFF-ROAD EQUIPMENT

Off-road equipment accounted for 6%, 7%, and 7% of Lake Forest Park's communitywide emissions in 2019, 2022, and 2023, respectively. Off-road emissions were estimated by running the EPA MOVES model at a county level and scaling by city population.⁶ Off-road emissions include the following equipment types: recreational, construction, industrial, lawn/garden, agriculture, commercial, logging, airport support, oil field, pleasure craft, and railroad. Across all three inventory years, **construction, industrial, and lawn/garden equipment** produced the most emissions.


⁶ [MOVES and Mobile Source Emissions Research | U.S. EPA](#)

Solid Waste

The **solid waste** sector emitted an estimated 1,755, 2,030, and 1,960 MTCO₂e in 2019, 2022, and 2023, respectively, representing 2% of total 2023 emissions. Emissions from solid waste are generated by the transportation and disposal of landfilled and composted waste produced by Lake Forest Park's residents, employees, and visitors. **Landfilled waste** accounted for 77% of 2023 solid waste emissions, while **composted waste** accounted for 23%.

Emissions from solid waste have seen an upward trend since 2019, primarily driven by increases in both landfilled and composted waste generated. Figure 9 below shows the breakdown of solid waste emissions, by source, in each inventory year.

Figure 9. Solid waste emissions, by source, in 2019, 2022, and 2023 (MTCO₂e).



Refrigerants


Refrigerants emitted 7,048, 7,471, and 7,493 MTCO₂e in 2019, 2022, and 2023, respectively, representing 8% of total 2023 emissions. Refrigerants are used for cooling equipment such as air conditioners and refrigerators. Emissions from refrigerants stem from refrigeration equipment leakage and occur most often from hydrofluorocarbons (HFCs) which have a high global warming potential (amount of global warming units that results from one unit of gas). Emissions from refrigerants have seen an upward trend since 2019. Refrigerant consumption is not tracked locally, so refrigerant emissions were estimated using a national EPA dataset for refrigerants and scaled to Lake Forest Park based on population.⁷

⁷ [Inventory of U.S. Greenhouse Gas Emissions and Sinks 1990-2022 | U.S. EPA](#)

Land Use

Land use emitted an estimated 727, 510, and 510 MTCO₂e in 2019, 2022, and 2023, respectively, representing **less than 1%** of total 2023 emissions. These emissions occur from tree loss and occur when tree canopy is lost or when forests are converted to alternate land use. Land use also has the additional benefit of carbon sequestration from tree canopy gain and undisturbed tree canopy. Lake Forest Park's tree canopy sequestered an estimated 5,535, 5,550, and 5,550 MTCO₂e in 2019, 2022, and 2023, respectively. To ensure proper accounting of emissions, tree canopy sequestration benefits are reported separately from emissions. Land use emissions were calculated using the ICLEI's Land Emissions and Removals Navigator (LEARN) tool using a GIS shapefile of Lake Forest Park's geographic boundaries.⁸ The tool provides multi-year estimates (in this case, 2016-2019 for 2019 and 2019-2021 for 2022 and 2023) that are then averaged for a per-year estimate. Figure 10 below illustrates emissions from tree loss along with the annual sequestration values for 2019, 2022, and 2023.

Figure 10. Tree canopy GHG emissions and sequestration (MTCO₂e).




⁸ [Land Emissions and Removals Navigator \(LEARN\) | ICLEI USA](#)

Municipal Operations GHG Emissions Results

Lake Forest Park's municipal operations produced 247 MTCO₂e in 2023. **Transportation** was the highest emitting sector, with the City's **vehicle fleet** responsible for **71%** of total municipal operations emissions. Municipal operations are included in the communitywide emissions estimates above and make up less than 1% of total community emissions. Lake Forest Park's municipal operations GHG emissions for 2023 are shown below in Figure 11, by emissions source.

Figure 11. 2023 municipal operations GHG emissions, by source (percentage of total municipal operations emissions).



Buildings

The **buildings** sector emitted an estimated 3 MTCO₂e in 2023, accounting for **1%** of total municipal operations emissions. Emissions from buildings stem from **electricity** used to power, heat, and cool City-owned facilities. The City does not use natural gas in its facilities.

Transportation

The **transportation** sector emitted an estimated 175 MTCO₂e in 2023, accounting for **71%** of total municipal operations emissions. Emissions from transportation stem from **on-road vehicles** and

off-road vehicles and equipment (on-road vehicles comprised over 99% of municipal fleet emissions). The City reported 181,448 vehicle miles traveled from municipal operations in 2023.

Note: the City did not have data available to estimate emissions from employee commuting or employee business travel. If the City is interested in a more comprehensive municipal operations inventory in the future, City staff can administer employee commute surveys and collect data on employee business travel to estimate emissions associated with these activities.

Solid Waste

The **solid waste** sector emitted an estimated 13 MTCO₂e in 2023, accounting for **5%** of total municipal operations emissions. Emissions from solid waste stem from the transportation and disposal of landfilled and composted waste generated at City-owned or -operated facilities. **Landfilled waste** contributed the most to 2023 municipal solid waste emissions, emitting close to 12 MTCO₂e. **Composted waste** contributed 1 MTCO₂e to solid waste emissions in 2023.

Refrigerants

Municipal **refrigerant use** emitted 56 MTCO₂e in 2023, accounting for **23%** of total municipal operations emissions. Refrigerants are used for cooling equipment such as air conditioners and refrigerators in both stationary and mobile equipment. Of the 56 MTCO₂e produced by refrigeration equipment used by the City, 98% was produced by stationary equipment such as HVAC systems, while 2% was produced by air conditioning units in the City's fleet vehicles. Emissions from refrigerants stem from refrigeration equipment leakage and occur most often from hydrofluorocarbons (HFCs) which have a high global warming potential (amount of global warming units that results from one unit of gas).

Policy Recommendations

The 2019, 2022, and 2023 communitywide GHG emissions inventory results were used to inform GHG emissions reduction policy for Lake Forest Park's Climate Element. To adhere with Washington's HB 1181, which was passed in 2023, Lake Forest Park must incorporate policy in its Comprehensive Plan aimed at reducing GHG emissions. These policies at minimum must result in overall GHG emissions reductions and reductions in VMT per-capita and prioritize reductions that benefit overburdened communities.⁹ Based on the Commerce guidance and the results of this GHG analysis, it is recommended that Lake Forest Park pursue the development of Climate Element policies that:

- **Reduce VMT per-capita**, such as through measures that promote multi-modal transportation, improve public transit infrastructure and access, or manage parking
- **Expand electric vehicle infrastructure**
- **Increase building efficiency** in new and existing buildings
- **Promote building electrification** in new and existing buildings
- **Reduce landfilled waste**

⁹ [Climate Element Planning Guidance | WA State Department of Commerce](#)

Appendix A: Methodology

This appendix provides a detailed description of the calculation methodology used to complete Lake Forest Park's communitywide and municipal operations GHG inventories.

Calculating Lake Forest Park's GHG inventories involved identifying and applying emissions factors to activity data, summarized in Table 4 below. The GHG inventories used locally specific data as much as possible, based on data availability.

- **Activity data** quantifies the amount of activity that ultimately generates emissions. Examples of activity data include kilowatt hour of electricity consumed, vehicle miles traveled (VMT), and tons of waste generated.
- **Emissions factors** are values that are used to determine the amount of a specific GHG emitted based on one unit of activity data. Examples of emission factors include metric tons of carbon dioxide (CO₂), nitrous oxide (N₂O), methane (CH₄), or CO₂ equivalence emitted per kilowatt hour of electricity consumed, per ton of waste generated, or per VMT.

Table 4. Calculation methodology, including activity data and emissions factor sources.

Sector	Activity Data	Emissions Factors (EFs)
Buildings		
Natural gas	City-specific consumption provided by utilities	Utility-provided emission factors provided by Puget Sound Energy
Electricity	City- and municipal-specific consumption provided by utilities	1) Utility-specific emission factors (from Department of Ecology Clean Fuel Standard program utility-specific electricity calculations) 2) Emissions & Generation Resource Integrated Database (eGRID) EFs (for informational purposes only)
Fuel oil	WA fuel oil consumption by sector from U.S. Energy Information Administration (EIA) (statewide data scaled based on population)	U.S. Environmental Protection Agency (EPA) Emission Factors (EF) Hub ¹⁰ average EFs
Propane	WA propane consumption by sector from U.S. EIA (statewide data scaled based on population)	U.S. EPA EF Hub average EFs
Transportation		
On-road vehicles (communitywide)	Vehicle miles traveled data and estimated emissions from Puget Sound Regional Council (PSRC) travel demand model	U.S. EPA EF Hub vehicle EFs (by vehicle & fuel type)

¹⁰ [GHG Emission Factors Hub | U.S. EPA](#)

Sector	Activity Data	Emissions Factors (EFs)
	outputs. StreetLight Data was used to create a VMT adjustment factor that accounts for pandemic-related travel changes from 2019 conditions. This adjustment factor was applied to the PSRC VMT data for 2022 and 2023	
On-road vehicles (municipal operations)	City-provided vehicle type, fuel type, fuel use, and miles traveled for municipal fleet vehicles	U.S. EPA EF Hub vehicle EFs (by vehicle & fuel type)
Off-road equipment (communitywide)	EPA Motor Vehicle Emission Simulator (MOVES) ¹¹ model outputs, by county (scaled by city population)	N/A - reported in terms of emissions
Off-road equipment (municipal operations)	City-provided vehicle/equipment type, fuel type, fuel use, and miles traveled for municipal fleet off-road vehicles/equipment	U.S. EPA EF Hub vehicle EFs (by vehicle & fuel type)
Aviation	Emissions from Seattle-Tacoma International Airport (SEA) were attributed to individual cities using the volume of fuel (jet-A) loaded onto all planes departing from SEA, in combination with passenger survey data, population, and household income data from the U.S. Census.	U.S. EPA EF Hub average EFs, by fuel type
Solid Waste		
Landfill	City- and municipal-specific tonnage and King County waste characterization data	EPA Waste Reduction Model (WARM) ¹² EFs, customized for landfill attributes
Compost	City- and municipal-specific tonnage and King County waste characterization data	EPA WARM EFs
Refrigerants		
Refrigerants (communitywide)	EPA Inventory of U.S. Greenhouse Gas Emissions and Sinks (national data scaled based on population)	N/A - reported in terms of emissions
Refrigerants (municipal operations)	City-reported refrigerant use in municipal facilities and fleet vehicles	Global warming potential (GWP) values from California Air Resources Board (AR5 values) ¹³
Land Use		
Tree loss	ICLEI's LEARN tool ¹⁴ with a city-specific GIS shapefile of geographic boundaries	ICLEI's LEARN tool

¹¹ [MOVES and Mobile Source Emissions Research | U.S. EPA](#)¹² [Waste Reduction Model | U.S. EPA](#)¹³ [High-GWP Refrigerants | CA Air Resources Board](#)¹⁴ [Land Emissions and Removals Navigator \(LEARN\) | ICLEI USA](#)